



LED带灯视镜，内置一支钕合金手电，一节5号电池，光通量220流明，LED灯珠。另可加配玻璃刮板。
LED sight glass with built-in neodymium flashlight, one AA battery, 220 lumen, LED lamp beads. Can also be equipped with a glass scraper.

带灯视镜，配置不锈钢防水外壳，DC24V安全电源。
Illuminated sight glass with stainless steel waterproof case and DC24V safety power supply.



活接视镜，焊接口可加厚定制，多用于带有压力的设备。
Union type sight glass, welded joints can be thickened and customized, mostly for equipment with pressure.

卡箍由任式视镜，快拆式设计结构，使得成本更低，使用更方便。
Clamp is made of any type of sight glass and quick release design structure, which makes the cost lower and the use more convenient.




四通球型视镜，等对面式可观设计，可在不同角度观察，即使可视面朝上，水平安装也能达到无堆积效果。
The four-way spherical sight glass is designed in the opposite and observable type, which can be observed at different angles. Even if the visible side is upward, the horizontal installation can achieve the effect of no accumulation.

四通视镜，等对面式可观设计，可在不同角度观察，需垂直安装。
Four-way sight glass, and other observable design, can be viewed at different angles, and needs to be installed vertically.




直通管道视镜，全口径设计，360°任意角度观察，可垂直或水平安装，另不锈钢可配防护罩。
Straight through sight glass, full diameter design, 360° arbitrary viewing angle, can be installed vertically or horizontally, and stainless steel can be equipped with protective cover


LED带灯视镜
LED light Indicator Sight Glass



带灯视镜
Light Indicator Sight Glass



活接视镜
Union Type Sight Glass



JO1157

SIZE	d	D	A	H
DN50	50	57	82	131
DN65	65	72	98	139
DN80	81	87	126	157
DN100	100	108	138	143
DN125	125	133	165	147
DN150	150	159	197	155

JO1158

SIZE	d	D	A	H
DN80	81	87	126	90
DN100	100	108	138	100
DN125	125	133	165	90
DN150	150	159	197	96


JO1159

SIZE	d	D1	D	H
1.5"	35.1	38.1	71	32
2"	47.8	50.8	82	34
2.5"	59.5	63.5	98	34
3"	72.2	76.2	112	39
3.5"	84.9	88.9	125	39
4"	97.6	101.6	140	44

JO1160

SIZE	d	D1	D	H
DN40	37	40	71	32
DN50	49	52	82	34
DN65	66	70	98	34
DN80	81	85	125	39
DN100	100	104	140	44

夹式视镜
Clip type sight glass



JO1161

SIZE	d	D	D1	H
1.5"	35.1	38.1	64	35
2"	47.8	50.8	77.5	35
2.5"	59.5	63.5	91	35
3"	72.2	76.2	106	35
3.5"	84.9	88.9	119	35
4"	97.6	101.6	119	35

JO1162

SIZE	d	D	D1	H
DN40	37	40	64	35
DN50	49	52	77.5	35
DN65	66	70	91	35
DN80	81	85	106	35
DN100	100	104	119	35


JO1163

SIZE	D	A	H	L
1.5"	38.1	38	80	130
2"	50.8	50	97	150
2.5"	63.5	63.5	111	170
3"	76.2	73	124	190
4"	101.6	100	149	240


JO1164

SIZE	D	A	H	L
DN40	40	38	80	130
DN50	52	50	97	150
DN65	70	66	116	180
DN80	85	81	132	210
DN100	104	100	149	240


球型四通视镜
Spherical four-way sight glass



四通视镜
Cross Sight Glass



快装式直通视镜
Clamped Straight Sight Glass



JO1165

SIZE	d	D	H	L
1.5"	35.1	38.1	48.5	54
2"	47.8	50.8	60.5	62
2.5"	59.5	63.5	67.5	68
3"	72.2	76.2	77	80
3.5"	84.9	88.9	90	87
4"	97.6	101.6	100	98

JO1166

SIZE	d	D	H	L
DN40	37	40	60	55
DN50	49	52	70	63
DN65	66	70	80	72
DN80	81	85	90	85
DN100	100	104	100	99


JO1167

SIZE	d	D1	D	H
1"	22.4	50.5	78	156
1.25"	28.8	50.5	78	156
1.5"	35.1	50.5	86	160
2"	47.8	64	102	166
2.5"	59.5	77.5	115	170
3"	72.2	91	124	174
4"	97.6	119	154	194

JO1168

SIZE	d	D1	D	H
DN25	25	50.5	78	156
DN32	31	50.5	86	160
DN40	37	50.5	90	164
DN50	49	64	106	166
DN65	66	91	124	170
DN80	81	106	139	174
DN100	100	119	159	194

焊接式直通视镜
Welded Straight Sight Glass



JO1169

SIZE	d	D1	D	H
1"	22.4	25.4	78	140
1.25"	28.8	31.8	78	140
1.5"	35.1	38.1	86	140
2"	47.8	50.8	102	142
2.5"	59.5	63.5	115	146
3"	72.2	76.2	124	146
4"	97.6	101.6	154	154

JO1170

SIZE	d	D1	D	H
DN25	25	28	78	140
DN32	31	34	86	140
DN40	37	40	90	140
DN50	49	52	106	142
DN65	66	70	124	146
DN80	81	85	139	150
DN100	100	104	159	154

JO1171

SIZE	d	D	Rd	L
1"	22.4	45	RD40×1/6	156
1.25"	28.8	50.8	RD48×1/6	156
1.5"	35.1	63.5	RD60×1/6	160
2"	47.8	76.2	RD70×1/6	166
2.5"	59.5	88.9	RD85×1/6	170
3"	72.2	101.6	RD98×1/6	174
4"	97.6	133	RD125×1/4	194

JO1172

SIZE	d	D	Rd	L
DN25	25	78	RD52×1/6	156
DN32	31	86	RD58×1/6	160
DN40	37	90	RD65×1/6	164
DN50	49	106	RD78×1/6	166
DN65	66	124	RD95×1/6	170
DN80	81	139	RD110×1/4	174
DN100	100	159	RD130×1/4	194

螺纹式直通视镜
Threaded Straight Sight Glass

